

Tulipa gumusanica (Liliaceae), a new species from Turkey

Salih Terzioğlu¹ & Kâmil Coşkunçelebi²

¹⁾ Karadeniz Technical University, Faculty of Forestry, Department of Forest Botany, 61080 Trabzon, Turkey (e-mail: sterzi@ktu.edu.tr)

²⁾ Karadeniz Technical University, Sciences and Arts Faculty, Department of Biology, 61080 Trabzon, Turkey (e-mail: kamil@ktu.edu.tr)

Received 8 August 2001, accepted 29 November 2001

Terzioğlu, S. & Coşkunçelebi, K. 2002: *Tulipa gumusanica* (Liliaceae), a new species from Turkey. — *Ann. Bot. Fennici* 38: 149–151.

Tulipa gumusanica Terzioğlu (Liliaceae) is described as a species new to science and illustrated in line drawings. It occurs in the Vilayet Gümüşhane region of Turkey. The chief characters of *T. gumusanica* are pure yellow stamens and anthers and distinctly undulate leaves.

Key words: Liliaceae, new species, taxonomy, *Tulipa*

Introduction

The genus *Tulipa* L. (Liliaceae) contains 40 (Stork 1984) or more than 100 (Hall 1940) species depending on which species concept is applied. It is distributed in the temperate regions of N Africa, Asia and Europe, with the majority of species occurring in Central Asia (Xingi & Mordak 2000), where the centre of diversity is in the Pamir Alai and Tien Shan mountain ranges (Hoog 1973). The genus has historically been subdivided into two subgenera, *Tulipa* and *Eriostemones* Boiss., which are clearly distinguished by morphological characteristics (Raamsdonk &

de Vries 1992). Section *Tulipa* (*Leiostemones* Boiss.) is mainly found in the primary gene centre in central Asia and section *Eriostemones* migrated from the primary as well as from the secondary gene centre (Caucasus) westwards into western Europe (Raamsdonk & de Vries 1995).

Fifteen species of *Tulipa* have so far been recorded from Turkey, of which six belong to section *Eriostemones* and nine to section *Tulipa* (Marais 1984, Persson 2000). In this paper, a new species belonging to section *Tulipa* is described. It was collected on Zigana Mountain in Vilayet Gümüşhane and at present is known only from this locality.




Fig. 1. *Tulipa gumusanica* (from the holotype). — a: General view. — b: Stamen. — c: Gynoecium. — d: Capsule. Scale bar: a = 4 cm, b-d = 2 cm.

Tulipa gumusanica Terzioğlu, sp. nova (Fig. 1)

Perennis, bulbus ovoideus 1.5–3 cm in diam; tunicae papyraceae, subrufae-fulvae, intus vix pilosae imprimis ad basim, pili recti. Caulis usque ad 45 cm altus, caulis et pedunculus glaber. Folia 4–5(–6), 5–20 × 1–3 cm, ciliata, glauca, recurva et distincte undulata, late lanceolata ad linearis-lanceolata, gradatim decrescentia versus apicem. Flores solitarii, lutei, extus maculati. Tepala exterioria 2.5–5 × 0.9–2.3 cm, ovata ad obovata, elliptica, tepala interioria

2–3.5 × 0.6–2 cm, obovata-spathulata ad oblanceolata. Filamenta lutea, 4.5–9 mm longa; antherae luteae, 5–12 mm longae, pollen luteum. Ovarium glaucum, infra sessilem stigmas vix contractum. Capsula 1.5–4.5 × 1.3–2.5 cm, ovoidea ad ellipsoidea, apiculata, breviter stipitata.

HOLOTYPE: Turkey A7. Gümüşhane: Zigana Mountain, northern rocky slopes and screes, (together with the endemic *Iris histrioides*, *Campanula betulifolia*, *Digitalis lamarckii* and *Muscaria aucheri* in *Pinus sylvestris*-*Quercus macranthera* subsp. *syspirensis* woodland), 1550 m, 11.VI.2000 Terzioğlu 13362 (KATO; isotype KTUB, Coşkunçelebi 296).

Perennial, bulb ovoid, 1.5–3 cm in diameter; tunics papery, reddish-brown, inside thinly hairy especially at base, hairs straight. Stem, including peduncle, up to 45 cm long, glabrous. Leaves 4–5(–6), 5–20 × 1–3 cm, glaucous, recurved and distinctly undulate, broadly lanceolate to linear-lanceolate, gradually decreasing in size upwards, ciliate on margin. Flowers solitary, golden yellow, without blotch. Outer perianth segments 2.5–5 × 0.9–2.3 cm, ovate to obovate-elliptic; inner segments 2–3.5 × 0.6–2 cm, obovate-spathulate to oblanceolate. Filaments yellow, 4.5–9 mm, as long as or shorter than anthers; anthers yellow, 5–12 mm, pollen yellow. Ovary glaucous, hardly narrowed below the sessile stigma. Capsule 1.5–4.5 × 1.3–2.5 cm, ovoid to ellipsoid, apiculate, shortly stipitate.

Tulipa gumusanica differs from all the taxa hitherto described in *Tulipa* sect. *Tulipa* in having fully yellow filaments. Because of its ciliate, undulate and recurved leaves, it shows close similarity to *T. armena* Boiss., but differs from it in having 4–5(–6) leaves, yellow filaments, and consistently pure golden-yellow flowers. *Tulipa armena* shows wide variations in flower colour, with the yellow-flowered forms being similar in appearance to *T. gumusanica*. Specimens of *T. armena* with four leaves, black filaments and yellow flowers are found in the close vicinity of *T. gumusanica*.

Acknowledgements

We thank Dr. R.I. Milne (St. Andrews, UK) and Dr. G. Gottschlich (Tübingen, Germany) for critically reading and commenting on the manuscript, and to Forestry Engineer T. Birtürk for assistance during the field studies.

References

- Hall, A. D. 1940: *The genus Tulipa* L. — Royal Hortic. Soc. London. 171 pp.
- Hoog, M. H. 1973: On the origin of *Tulipa*. — In: Napier, E. & Platt, J. N. (eds.), *Lilies and other Liliaceae*: 47–64. Royal Hortic. Soc. London.
- Marais, W. 1984: *Tulipa* L. — In: Davis, P. H. (ed.), *Flora of Turkey and the East Aegean Islands*. Vol. 8: 302–311. Edinburgh Univ. Press, Edinburgh.
- Persson, K. 2000: Two new bulbous species from the Central Taurus Mountains of Turkey. — *New Plantsman* 7: 200–208.
- Raamsdonk, L. W. D. & de Vries, T. 1992: Biosystematic studies in *Tulipa* sect. *Eriostemones* (Liliaceae). — *Pl. Syst. Evol.* 179: 27–41.
- Raamsdonk, L. W. D. & de Vries, T. 1995: Species relationships and taxonomy in *Tulipa* subg. *Tulipa* (Liliaceae). — *Pl. Syst. Evol.* 195: 13–44.
- Stork, A. 1984: *Tulipes sauvages et cultivées*. — Conserv. Jardin Bot. Genève, Genève. 185 pp.
- Xingi, C. & Mordak, H. V. 2000: *Tulipa* L. — In: Wu, Z. & Raven, P. H. (eds.), *Flora of China (Flagellariaceae–Marantaceae)*: 123–136. Sci. Press Beijing & Missouri Bot. Garden, St. Louis.